## WHAT IS CLAIMED IS:

1

2

3

4

5

6

7

8

9

19 1911

7112

Ht Had H H. ... H

1

3

1. A system for providing a dynamic shopping cart window within a windows-based content manifestation environment provided within a Web browser, comprising:

a server system configured to transmit a software system and data related to a shopping list from a shopping list content source via an electronic data network; and a Web browser client operating within a data processing system that is coupled to said server system via the electronic data network and having a content manifestation environment, said Web browser client operative to receive said software system and said data via said server system, to process said software system and said data to produce a moveable shopping cart window object within said content manifestation environment of said Web browser client, said moveable shopping cart window object configured to dynamically manifest therein the shopping list received from the shopping list content source in accordance with said data.

- 2. The system according to claim 1, wherein said software system includes instructions related to the size and placement of said shopping cart window object within said content manifestation environment.
- The system according to claim 1, wherein said electronic data network is an Internet.
- 1 4. The system according to claim 1, wherein the shopping list includes at least one 2 of an item and a price.

1	5. The system according to claim 1, wherein the moveable shopping cart window
2	object is updated according to changes in the shopping list.
1	6. The system according to claim 1, wherein the moveable shopping cart window object includes at least one of a reset button, a checkout button, and a delete button.
~	
1	7. A method for providing a dynamic shopping cart window within a windows-
2	based content manifestation environment provided within a Web browser, comprising:
3	from a server system, transmitting a software system and data related to a
13 4	shopping list from a shopping list content source via an electronic data network;
<b>1</b> 5	at a Web browser client operating within a data processing system that is coupled
the speed plant and strong many many find the first and the first and the first and the first and then	to said server system via the electronic data network, receiving said software system;
1 7	processing said software system and said data to produce a moveable shopping
Hard H. U A short street with	cart window object within a content manifestation environment provided by said Web
9	browser; and
10	dynamically manifesting said shopping list within said moveable shopping cart
11	window object in accordance with said data.
1	8. The method according to claim 7, wherein said software system includes

( C) 9

2

3

instructions related to the size and placement of said shopping cart window object within said content manifestation environment.

	1	9. The method according to claim 7, wherein said electronic data network is an
	2	Internet.
	1	10. The method according to claim 7, wherein the shopping list includes at least one
	2	of an item and a price.
	1	11. The method according to claim 7, further including updating the moveable
	2	shopping cart window object according to changes in the shopping list.
the after the male that and then are	1	12. The method according to claim 7, wherein the moveable shopping cart window
truby many stated	2	object includes at least one of a reset button, a checkout button, and a delete button.
them of H them the and them of the tribe	1	13. A system for providing a dynamic shopping cart window within a windows-based
	2	content manifestation environment provided within a Web browser, comprising:
	3	a server system configured to transmit a software system and data related to a
	4	shopping list from a shopping list content source via an electronic data network; and
	5	a Web browser client operating within a data processing system that is coupled to
	6	said server system via the electronic data network and having a content manifestation
	7	environment, said Web browser client operative to receive said software system and said
	8	data via said server system, to process said software system and said data to produce a
	9	controllable shopping cart window object within said content manifestation environment

of said Web browser client, said controllable shopping cart window object configured to

10

11 dynamically manifest therein the shopping list received from the shopping list content source in accordance with said data. 12 14. 1 The system according to claim 13, wherein said software system includes 2 instructions related to the size and placement of said shopping cart window object within said 3 content manifestation environment. 1 15. The system according to claim 13, wherein said electronic data network is an 2 Internet. 4 20 113 1 2 2 1 2 2 16. The system according to claim 13, wherein the shopping list includes at least one of an item and a price. 17. The system according to claim 13, wherein the controllable shopping cart window object is updated according to changes in the shopping list. 1 18. The system according to claim 13, wherein the controllable shopping cart window 2 object is adapted to perform at least one of moving, resizing, maximizing, and minimizing within 3 said content manifestation environment. 1 19. The system according to claim 13, wherein the controllable shopping cart window 2 object includes at least one of a reset button, a checkout button, and a delete button.

1	20.	A method for providing a dynamic snopping cart window within a windows-
2	based content	manifestation environment provided within a Web browser, comprising:
3		from a server system, transmitting a software system and data related to a
4	shoppi	ng list from a shopping list content source via an electronic data network;
5		at a Web browser client operating within a data processing system that is coupled
6	to said	server system via the electronic data network, receiving said software system;
7		processing said software system and said data to produce a controllable shopping
8	cart wi	indow object within a content manifestation environment provided by said Web
9	browse	er; and
10		dynamically manifesting said shopping list within said controllable shopping cart
the first des mes estate the first and first des mes estate the first me	windo	w object in accordance with said data.
** 1	21.	The method according to claim 20, wherein said software system includes
2	instructions re	elated to the size and placement of said shopping cart window object within said
2 2 3 3 3 3 4 5 6 6 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7	content manif	festation environment.
1	22.	The method according to claim 20, wherein said electronic data network is an
2	Internet.	
1	23.	The method according to claim 20, wherein the shopping list includes at least one
2	of an item an	d a price.

2

3

7

8

9

10

11

12

13

than d'

- The method according to claim 20, wherein the controllable shopping cart
- The method according to claim 20, wherein the controllable shopping cart window object includes at least one of a reset button, a checkout button, and a delete button.
  - A system for providing a dynamic television window within a windows-based content manifestation environment provided within a Web browser, comprising:

a server system configured to transmit a software system and data related to an audio-visual program from an audio-visual program content source via an electronic data network; and

a Web browser client operating within a data processing system that is coupled to said server system via the electronic data network and having a content manifestation environment, said Web browser client operative to receive said software system and said data via said server system, to process said software system and said data to produce a moveable television window object within said content manifestation environment of said Web browser client, said moveable television window object configured to dynamically manifest therein the audio-visual program received from the audio-visual program content source in accordance with said data.

	1	28.	The system according to claim 27, wherein said software system includes
	2	instructions re	elated to the size and placement of said television window object within said
	3	content manif	Testation environment.
	1	29.	The system according to claim 27, wherein said electronic data network is an
	2	Internet.	
		20	The system according to claim 27, wherein the audio-visual program includes
	1	30.	
	2	full-motion v	ideo content and audio content.
tion that had not that the thin it is a state of the terms of the term	1	31.	The system according to claim 27, wherein the moveable television window
te to			
Add Shan	2	object includ	es at least one of a volume control, a channel selector, a play button, a rewind
	3	button, a stop	button, and a fast-forward button.
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
He that H H such stone H H that H mith H that with	1	32.	A method for providing a dynamic television window within a windows-based
don't with	2	content mani	ifestation environment provided within a Web browser, comprising:
	3		from a server system, transmitting a software system and data related to an audio-
	4	visua	l program from an audio-visual program content source via an electronic data
	5	netw	ork;
	6		at a Web browser client operating within a data processing system that is coupled
	7	to sa	id server system via the electronic data network, receiving said software system;

	8	1	processing said software system and said data to produce a moveable television		
	9	window	object within a content manifestation environment provided by said Web		
1	0	browser; and			
1	1		dynamically manifesting said audio-visual program within said moveable		
1	2	televisio	on window object in accordance with said data.		
	1	33.	The method according to claim 32, wherein said software system includes		
	2	instructions rel	ated to the size and placement of said television window object within said		
	3	content manife	station environment.		
gree gode that south deal gode only made of that that the of the that the of the that the throught of the throught of the throw it	1	34.	The method according to claim 32, wherein said electronic data network is an		
H. H. Herry H.	2	Internet.			
	1	35.	The method according to claim 32, wherein the audio-visual program includes		
dorf, 8, 8, Herry pres, ft ff	2	full-motion vio	deo content and audio content.		
	1	36.	The method according to claim 32, wherein the moveable television window		
	2	object include:	s at least one of a volume control, a channel selector, a play button, a rewind		
	3	button, a stop	button, and a fast-forward button.		
	1	37.	A system for providing a dynamic television window within a windows-based		
	2	content manife	estation environment provided within a Web browser, comprising:		

2

3

1

2

3

a server system configured to transmit a software system and data related to an audio-visual program from an audio-visual program content source via an electronic data network; and

a Web browser client operating within a data processing system that is coupled to said server system via the electronic data network and having a content manifestation environment, said Web browser client operative to receive said software system and said data via said server system, to process said software system and said data to produce a controllable television window object within said content manifestation environment of said Web browser client, said controllable television window object configured to dynamically manifest therein the audio-visual program received from the audio-visual program content source in accordance with said data.

- The system according to claim 37, wherein said software system includes 38. instructions related to the size and placement of said television window object within said content manifestation environment.
- The system according to claim 37, wherein said electronic data network is an 39. Internet.
- The system according to claim 37, wherein the audio-visual program includes 40. 1 full-motion video content and audio content. 2

1	41. The system according to claim 37, wherein the controllable television window		
2	object is adapted to perform at least one of moving, resizing, maximizing, and minimizing within		
3	said content manifestation environment.		
1	42. The system according to claim 37, wherein the controllable television window		
2	object includes at least one of a volume control, a channel selector, a play button, a rewind		
3	button, a stop button, and a fast-forward button.		
1	43. A method for providing a dynamic television window within a windows-based		
2	content manifestation environment provided within a Web browser, comprising:		
3	from a server system, transmitting a software system and data related to an audio-		
4	visual program from an audio-visual program content source via an electronic data		
5	network;		
6	at a Web browser client operating within a data processing system that is coupled		
7	to said server system via the electronic data network, receiving said software system;		
8	processing said software system and said data to produce a controllable television		
9	window object within a content manifestation environment provided by said Web		
10	browser; and		
11	dynamically manifesting said audio-visual program within said controllable		
12	television window object in accordance with said data.		

when peak are tight in them in the many per peak peak person person per units that the terms of the tight that the tigh

1 44. The method according to claim 43, wherein said software system includes 2 instructions related to the size and placement of said television window object within said 3 content manifestation environment. The method according to claim 43, wherein said electronic data network is an 1 45. 2 Internet. 1 46. The method according to claim 43, wherein the audio-visual program includes 2 full-motion video content and audio content. and the set their one set the second of the 47. The method according to claim 43, wherein the controllable television window object is adapted to perform at least one of moving, resizing, maximizing, and minimizing within said content manifestation environment. 48. The method according to claim 43, wherein the controllable television window object includes at least one of a volume control, a channel selector, a play button, a rewind

3

button, a stop button, and a fast-forward button.